

DEFENDER

WALK RAMPS



www.bpmfg.com



(800) 334-7141



B&P MANUFACTURING
Engineered Delivery Products

HIGH CAPACITY WALK RAMPS [HCR]

FULLY CONTOURED side rail extrusions for superior strength.

INTEGRATED, welded handles for reliability and ease of deployment/storage.

TWIN TOOTH decking provides excellent traction in inclement weather.

SIDE RAIL design helps prevent hand truck wheels from riding up and is made of 6000 series aluminum.

FEATURES a safety locking pin on apron end and stop on underside to maintain the correct position.

DOT REFLECTIVE tape on both sides for low light visibility.



PART NUMBER	DIMENSIONS	CAPACITY
HCR-3006	30" x 6'	4,000 lbs
HCR-3012	30" x 12'	4,000 lbs
HCR-3014	30" x 14'	4,000 lbs
HCR-3016	30" x 16'	4,000 lbs
HCR-3506	35" x 6'	4,000 lbs
HCR-3512	35" x 12'	4,000 lbs
HCR-3514	35" x 14'	4,000 lbs
HCR-3516	35" x 16'	4,000 lbs
HCR-3906	39" x 6'	4,000 lbs
HCR-3912	39" x 12'	4,000 lbs
HCR-3914	39" x 14'	4,000 lbs
HCR-3916	39" x 16'	4,000 lbs



DEFENDER



B&P MANUFACTURING
Engineered Delivery Products

ORIGINAL WALK RAMPS [PR/PRP]

TRANSPORTS easily in delivery vehicles.


IDEAL for deliveries where space is limited.

BUILT-IN handles.


VARIETY of lengths and widths to choose from or ask about a custom size! From 6 ft. to 16 ft. 26"-40".

CHOOSE between Twin tooth or Twin Tooth Punched for superior traction.

CHOICE of Apron End or Flush Hook End. (Two 18" safety chains come standard with Apron End option).



PR
*Twin Tooth
Traction*



PRP
*Twin Tooth
Punch Traction*



TYPE A - APRON END
*Level-off apron
overlaps the
truck bed*



TYPE F - FLUSH HOOK
*Steel hooks lock
onto the truck bed
provided flush-type
direct entry*

**ALL RAMPS INCLUDE OUR INDUSTRY
LEADING 2-YEAR WARRANTY!**

Extreme length shipping charge for certain sizes.



www.bpmfg.com



(800) 334-7141

FOOD SERVICE RAMPS

MACHINED and grooved surface improves traction and will not collect mud, snow or debris.

STEEL TOP and bottom ends are replaceable and powder coated yellow to enhance visibility.

FITS IN most truck carriers.

CARRIERS also available.



FOOD SERVICE WALK RAMP (APRON END)

- ▶ Traditional round punch.
- ▶ Three different mounting options.

	12 FT.	14 FT.	16 FT.
Apron End with Two Hooks	FSW-2612-AH	FSW-2614-AH	FSW-2616-AH
Apron End with Two Pins	FSW-2612-AP	FSW-2614-AP	FSW-2616-AP
Apron End with Single Pin	FSW-2612-ACP	FSW-2614-ACP	FSW-2616-ACP
Capacity	1,000 lb.	1,000 lb.	9000 lb.
Weight	103 lb.	110 lb.	117 lb.

FOOD SERVICE WALK RAMP (HOOK)

- ▶ Strategically placed oval machined holes provide optimum traction.
- ▶ Hand slots in the upper deck aids in deployment/storage, eliminating reaching across the ramp to lift.
- ▶ Integrated steel handles at each end.

	14 FT.	16 FT.
Hooks on 22" Centers	FSW-2614-220	FSW-2616-220
Hooks on 22.5" Centers	FSW-2614-225	FSW-2616-225
Capacity	1,300 lb.	1,000 lb.
Weight	105 lb.	117 lb.
Each are 26" wide with 24" usable width		

