




**B&P MANUFACTURING**

Engineered Delivery Products

Healthcare Facility  
Maintenance and Delivery  
Catalog 2025



[www.bpmfg.com](http://www.bpmfg.com)

# LIBERATOR HAND TRUCKS



**B&P MANUFACTURING**

Engineered Delivery Products

## BACKED BY 2-YEAR WARRANTY!

**Liberator**

### A - HANDLES

- ▶ Large selection.
- ▶ Heat treated handle line available, provides greater strength & abrasion resistance.

### B - FRAMES

- ▶ 600 lb. capacity vs. competitors 500 lb.
- ▶ 4-sided ribbed cross members and top logo channel for rigidity & strength.
- ▶ Logo channel allows room for custom company decal.
- ▶ Assembled with aviation grade rivets.

### C - SIDE CHANNEL REINFORCEMENTS

- ▶ Bolted at top and bottom, spreading out stress to resist cracking or bending of frames.

### D - POWDER COATING

- ▶ Frame & stair climber powder coating options in red, blue, green, orange, pink & black.

### E - STAIR CLIMBERS

- ▶ Extruded much more durable than cast.
- ▶ Extra thick reversible bolt on wear strips outlast all others many times over.
- ▶ E1E Ergo Stair Climber to maneuver stairs with less effort.

### F - NOSE PLATE BRACKETS

- ▶ B&P's extruded aluminum solid brackets will not crack or break.
- ▶ Beveled to inside of frame to eliminate gaps which allow for play & loosening up over time.

### G - WHEEL BRACKETS

- ▶ Axle brackets are made from high-strength extruded aluminum, and are not castings. Guaranteed for life!

### H - WHEELS


- ▶ Several different wheel options are available for your specific application.
- ▶ From premium pneumatics to traditional flat free, we offer only the best wheels available.

### I - NOSE PLATES

- ▶ 600 lb. capacity extruded aluminum.
- ▶ Many options for widths & lengths.
- ▶ Beveled leading edge.
- ▶ 500 lb. capacity cast aluminum available.

*Add on disc or tread brakes when you need total stopping power.*

*Find additional options in our digital catalog on our resources page.*



[bpsales@bpmfg.com](mailto:bpsales@bpmfg.com)



(800) 334-7141



[bpmfg.com](http://bpmfg.com)



# BUILD YOUR HAND TRUCK

## CUSTOMIZING IS AS EASY AS A-B-C-D-E

**Liberator**

### A - HANDLE

### B - FRAME

### C - NOSE PLATE

### D - WHEELS



**A7**  
Vertical Grip  
52" high



**A16**  
Flared Double, Vertical  
Loop Grips 60" high



**A8**  
Vertical Grip at 52"  
60" high



**A57S**  
Double Vertical Loop  
Grip w/ 2 cross  
members 62" high



**A9**  
Vertical Grip at 52"  
68" high



**A56S**  
Double Vertical  
Loop Grip  
62" high



**A11**  
Double Loop w/ U-Brace



**A1**  
Standard Loop



**A41**  
Square Loop  
w/ Angled Double  
Grips 55" high



**A14**  
Standard Loop  
w/ U-Brace &  
Comfort Sleeve



**A42**  
Square Loop  
w/ Angled Double  
Grips 62" high



**A2**  
Standard Loop  
w/ U-Brace



**A3-A4-A5**  
Single Pin Grip at 46"  
A3: 52" high  
A4: 55" high  
A5: 62" high



**A12**  
Single Pin  
52" high

Additional handle options are available.



**B1**  
Straight Back



**B4**  
Curve Back, w/1 Strap



**B2**  
Straight Back  
w/1 Vertical Strap



**B5**  
Curve Back,  
No Strap



**B3**  
Straight Back  
w/2 Vertical Straps



**B5K**  
Curve Back,  
w/Sliding Keg Hook



**B6**  
Combination Back,  
2 Straight, 1 Curved



**B7**  
Combination Back,  
1 Straight, 2 Curved




**B10**  
Straight Back, No Logo  
Channel. 500 lb. cap.




**B1#02**  
Straight back with  
red powder coat.


Powder Coat color options include:  
Blue, Black, Red, Green, Orange & Pink.




**C1**  
14" x 7 1/2"  
Extruded Aluminum  
Recessed Heel



**C4**  
14" x 9"  
Extruded Aluminum  
Front Mount




**C2**  
18" x 7 1/2"  
Extruded Aluminum  
Recessed Heel




**C6**  
18" x 9"  
Extruded Aluminum  
Front Mount




**CA1**  
14" x 7 1/2"  
Cast  
Recessed Heel



**C3**  
14" x 7 1/2"  
Extruded Aluminum  
Rear Mount



**CA2**  
18" x 7 1/2"  
Cast  
Recessed Heel



**C10**  
20" x 9"  
Extruded Aluminum  
Front Mount




**C29**  
14" x 7 1/2"  
Steel  
Recessed Heel



**C9**  
20" x 12"  
Extruded Aluminum  
Front Mount



**C28**  
18" x 7 1/2"  
Steel  
Recessed Heel



**C5**  
18" x 7 1/2"  
Extruded Aluminum  
Rear Mount



**D6SS**  
10" x 3"  
Carefree®, No Flat  
2 Year Warranty  
Precision Bearings



**D12**  
8" x 1 5/8"  
Rubber on Aluminum,  
Offset Hub



**D6**  
10" x 3"  
Carefree®, No Flat  
Solid Foam,  
Non-Marking  
2 Year Warranty



**D5**  
10" x 3 1/2"  
4 Ply Pneumatic,  
2 Pc. Steel Hub,  
Precision bearings



**D15**  
10" x 2 1/8"  
Balloon Cushion,  
Poly Hub, No Flat  
Gray, Non-Marking



**D5G**  
10" x 3 1/2"  
D5 in Gray Color,  
Non-Marking  
Precision Bearings



**D16**  
8" x 2 1/8"  
Balloon Cushion,  
Poly Hub, No Flat  
Gray, Non-Marking



**D5S**  
10" x 3 1/2"  
D5 No Flat  
with Slime Sealant  
Precision Bearings



**D2**  
10" x 2 1/2"  
Semi-Pneumatic  
Solid Rubber  
No Flat



**D5F**  
10" x 3 1/2"  
D5 Foam-Filled  
No Flat  
Precision Bearings

### E - ACCESSORIES



**E1E**  
Extruded Aluminum "Ergo"  
Stair Climbers - More vertical  
geometry goes up/down stairs  
easier than traditional angle.



**E1L**  
Extruded Aluminum  
Stair Climbers - Reversible  
1/2" wear strips outlast  
others by 5 times.



**E1C**  
Cast Aluminum  
Stair Climbers  
w/ Replaceable  
Wear Strips



**8218-002**  
Accessory Bag  
Pocket will hold a  
#10 can. Flap helps  
protect contents.



**E9**  
Beer Keg Hook for  
Sankey type 1/2 barrel.



**E47**  
Retractable pull out bar.  
Eliminates using foot  
and springs back in to  
place when done.



**E60**  
60" frame extension.  
Also available in 52",  
55", and 68" heights.



**E62S**  
62" tubular frame  
extension with 2 straps.  
68" also available.  
Heat Treated.



# ROUTE DELIVERY CARTS



**B&P MANUFACTURING**  
Engineered Delivery Products

## ROUTE DELIVER CART FEATURES:

**ONE-PIECE** formed deck eliminates separation of the top from side channel, inherent to some welded deck designs.

**HEAT-TREATED**, welded handles for exceptional strength and longevity.

**REMOVABLE** back and handles for easy storage. Reassembly is quick and easy.

**TILT DESIGN** pivots on center casters for easier maneuvering in tight places.

**FULL WIDTH** caster plates eliminates the risk of casters breaking off.

**SUPPORT STRINGERS** run under the caster plates, the full length of the cart.

**CORNER POCKETS** are fully welded inside as well as outside to prevent them from breaking loose.

**STANDARD** 18" decking unless otherwise noted.

**STANDARD** 8" x 2" urethane center wheels with (4) 6" x 2" TPR square tread swivel corner casters.

**CAPACITY:** 1,200 lb.

**3-YEAR WARRANTY!**



### JUNIOR ROUTE DELIVERY CART (FHE-16)

- ▶ Slightly narrower, 16" width x 60" length.
- ▶ Same heavy duty construction in a more compact, lighter weight design.
- ▶ Optional second handle and carrier plate. *See accessories.*

### SPECIALTY ROUTE DELIVERY CART (FHE-19)

- ▶ 18" width x 60" length.
- ▶ Angled deck to help keep product leaning towards the back.
- ▶ Lattice back keeps product from falling off the cart during loading and unloading product.
- ▶ Clipboard holder on one end with spring clip for loose papers.



**ADDITIONAL ROUTE DELIVERY CART  
OPTIONS AVAILABLE IN OUR ONLINE CATALOG!**



[bpsales@bpmfg.com](mailto:bpsales@bpmfg.com)



(800) 334-7141



[bpmfg.com](http://bpmfg.com)



# ROUTE DELIVERY CARTS



**B&P MANUFACTURING**  
Engineered Delivery Products

## ADDITIONAL OPTIONS:

### WAREHOUSE ROUTE DELIVERY CART (FHE-2460-217-HD10-CB-SH)

- ▶ Wider 24" width x 60" length decking in the same heavy duty construction.
- ▶ Two square top handles with two crossbars and one vertical strap.
- ▶ Optional shelf and center brake. See *accessories*.



### ROUTE DELIVERY CART CENTER LOCK BRAKING SYSTEM (FHE-16CL, FHE-1CL & FHE-8CL)


- ▶ 16", 18" or 24" width x 60" length.
- ▶ Precision bearing casters require less force to push and pull, improving ergonomics.
- ▶ Dual brake can be engaged from both sides, offering a step up in safety.
- ▶ Smooth rolling crowned urethane wheels



### WALKIE RIDER ROUTE DELIVERY CART (FHE-6)

- ▶ 18" width x 60" length.
- ▶ Steel under structure to protect center wheels from forks when lifting.
- ▶ Allows 2 carts to sit side by side on walkie riders or forklifts.
- ▶ Requires only 7" between forks.

*Bottom View*



[bpsales@bpmfg.com](mailto:bpsales@bpmfg.com)



(800) 334-7141



[bpmfg.com](http://bpmfg.com)




## ACCESSORIES

### BRAKE SYSTEM (2025-163, -CB)

- ▶ Can be applied from all sides for added convenience.
- ▶ Locks wheels to prevent movement while loading or unloading, during transport, and while on lift gate.
- ▶ Add (-CB) to the end of your part number.

Ex: FHE:1860-204-HD10-CB

- ▶ Not available on Junior Route Delivery Carts



### CANISTER HAULER (KEG-1)

- ▶ Hand slots make for easy and fast installation.
- ▶ Safety tabs keep the KEG-1 securely in place.
- ▶ Unique base captures any debris, condensation, or leakage from getting onto the customers' floors.
- ▶ Requires 60" cart
- ▶ Formed to fit standard U.S. half barrels and allows the driver to carry up to 6 barrels safely.



### 18" SHELF (2025-163, -SH)

- ▶ Safety Pin helps secure shelf to cart.
- ▶ Requires 60" cart
- ▶ Capacity: 200 lb
- ▶ Add (-SH) to the end of your part number.

Ex: FHE:1860-204-HD10-SH

### CARRIER PLATE (2025-302)

Allows storage and transportation in most hand truck carriers.



### CONTAINMENT CURTAIN (2025-503)

- ▶ Shelters merchandise from the elements.
- ▶ Helps keep items from sliding during transport.
- ▶ Requires handle buttons.



# SPRINTER DELIVERY SYSTEM



**B&P MANUFACTURING**  
Engineered Delivery Products

## FEATURES:

**CARTS DESIGNED** to fit contour of custom Mercedes Sprinter Van.

**4 CARTS** - 2 forward and 2 aft, sized to fit over the wheel well.

**SHELVES** spaced to fit different sizes of containers for delivery.

**CARGO AREA** of the van is upfitted to use a fiberglass liner kit and refrigeration unit.

**AFT BRACE** shelf folds down and pivots to be used as a staging area for picking orders.

**MIDDLE SHELF** on each cart hinges up out of the way when empty to improve interior space.

**EACH CART** is hitch pinned to the braces for securement, no tie down straps are needed.


**LOAD CARTS** in the warehouse and roll into the van each day for delivery.



**FWD CART**  
Part#: 5018-004



**AFT CART**  
Part#: 5018-005



**FWD CART BRACE**  
Left Part#: 5018-006  
Right Part#: 5018-007



**MID CART BRACE**  
Left Part#: 5018-010  
Right Part#: 5018-011



**AFT CART BRACE**  
Left Part#: 5018-009  
Right Part#: 5018-008



[bpsales@bpmfg.com](mailto:bpsales@bpmfg.com)



(800) 334-7141



[bpmfg.com](http://bpmfg.com)





**(800) 334-7141**  
**(231) 775-2229**



**[bpsales@bpmfg.com](mailto:bpsales@bpmfg.com)**



**8051 E. Boon Rd.**  
**Cadillac, MI 49601, USA**



**[www.bpmfg.com](http://www.bpmfg.com)**

Healthcare Facility  
Maintenance and Delivery Catalog

Rev: 10-2024



**B&P MANUFACTURING**  
Engineered Delivery Products